Notice of Allowability	Application No.	Applicant(s)
	10/773,330	FUKUDA ET AL.
	Examiner	Art Unit
	Paul Gurzo	2881
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>7/5/05</u> .		
2. The allowed claim(s) is/are 14 and 16-18.		
3. The drawings filed on <u>09 February 2004</u> are accepted by the Examiner.		
<ul> <li>4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a)  All b)  Some* c)  None of the:</li> <li>1.  Certified copies of the priority documents have been received.</li> <li>2.  Certified copies of the priority documents have been received in Application No</li> <li>3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>★ Certified copies not received:</li> <li>Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.</li> </ul>		
<ul> <li>THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.</li> <li>5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.</li> </ul>		
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
		•
Attachment(s)	5 🗆 4 ( ) 10	(070.450)
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>		atent Application (PTO-152)
,	6. ⊠ Interview Summary ( Paper No./Mail Dat	
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date <u>2/9/04</u></li> </ol>	8), 7. \(\sum \) Examiner's Amendm	nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit		nt of Reasons for Allowance
of Biological Material	9.	

## **DETAILED ACTION**

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given by John R. Mattingly in the telephone call on 7/20/05. The application has been amended as follows:

Claims 1, 2, 11, 12, and 15 have been cancelled as being drawn to a non-elected method and apparatus and there is no allowable generic or linking claim.

Claim 14, line 6, "omitted" has been changed to --emitted--. On line 12, "first controller" has been changed to --a first controller--. On line 14, "second controller" has been changed to -a second controller--. On line 16, "said controller" has been changed to --said first controller--.

## Allowable Subject Matter

Claims 14 and 16-18 are allowed.

The following is an examiner's statement of reasons for allowance: the closest prior art of record does not teach or render obvious the claimed apparatus for a charged particle beam, according to independent claim 14, comprising the combination of a first controller to control a voltage to be applied to said probe and a second controller to control the location of the probe with said first controller controlling a polarity of the voltage to be applied to the probe depending on a polarity of the charge of the sample.

Application/Control Number: 10/773,330

Art Unit: 2881

Page 3

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Paul Gurzo whose telephone number is (571) 272-2472. The examiner can normally be reached on M-Fri. 7:30 - 6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Lee can be reached at (571) 272-2477. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 872-9306 for regular communications and (703) 872-9306 for After Final communications.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

**PMG** 

SUPERVISORY PATENT EXAMINE

TECHNOLOGY CENTER 2800